

Vreme je za promene u Vašoj kuhinji uz BEKO

Akcija 01.05.-31.05.2013.

5

GODINA
GARANCIJE



GNE 134605 X

NO FROST, SBS sa četvero vrata
Dispenzer za vodu, mini bar
Bruto zapremina 605 l
Neto zapremina frižider/zamrzivač: 380/155 l
LCD displej
6 pregrada celom širinom vrata
Aktivni filter za mirise
Aktivni jonizator
Srebrna zaštita
Plavo svetlo za aktivnu svežinu
Priključak na vodovodnu mrežu
Energetska efikasnost A
Godišnja potrošnja energije 528 kWh
Antibakterijska zaštita
Nivo buke 43dB
Dimenzije (VxŠxD): 182x92x76,5cm
Nerdajući čelik otporan na otiske prstiju
Zona Zero - temperatura oko 0°C



~~139.999,-~~
129.999,-

BEKO
SMART GENERATION

TS190020

Frižider bez komore
Bruto/neto zapremine 90/88 l
Energetski razred A+
Godišnja potrošnja energije 118 kWh
Staklene police
Antibakterijska zaštita
Unutrašnje svetlo
Nivo buke 37dB
Dimenzije: 82x47,5x53cm

A+

~~17.699,-~~
15.999,-

SS229020

Frižider bez komore
Bruto/neto zapremine 295/286 l
Samootapajući
Energetski razred A+
Godišnja potrošnja energije 136 kWh
Staklene police
Antibakterijska zaštita
Nivo buke 40dB
Dimenzije: 151x60x60 cm

A+

~~29.499,-~~
24.999,-

DSA 28020 / DSA 28020 S

Frižider sa zamrzivačem
Bruto zapremina 280 l
Neto zapremina 259 l
(210 frižider + 49 zamrzivač)
Samootapajući frižider
Energetska efikasnost A+
Godišnja potrošnja energije 240 kWh
Antibakterijska zaštita
Nivo buke 40dB
Staklene police
Dimenzije: 160x54x60 cm

A+**DSA 28020**

DSA 28020 S
Srebrna boja



~~30.499,-~~
26.999,-

~~31.999,-~~
27.999,-

CS234020

Frižider sa zamrzivačem (3 fioke)
Bruto zapremina 340 l
Neto zapremina 292 l
(205 frižider + 87 zamrzivač)
Samootapajući frižider
Energetska efikasnost A+
Godišnja potrošnja energije 267 kWh
Antibakterijska zaštita
Nivo buke 39dB
Staklene police
Polica za boce
Dimenzije: 186x60x60 cm

A+

~~36.999,-~~
32.999,-

CSA 31000

Frižider sa zamrzivačem (3 fioke)
Bruto zapremina 310 l
Neto zapremina 254 l
(192 frižider + 62 zamrzivač)
Samootapajući frižider
Energetska efikasnost A
Godišnja potrošnja energije 310 kWh
Antibakterijska zaštita
Nivo buke 41dB
Staklene police
Dimenzije: 181x54x60 cm

A

~~34.999,-~~
30.499,-

CN236220 / CN236220 X

NO FROST
Frižider sa zamrzivačem (3 fioke)
Displej
Bruto zapremina 355 l
Neto zapremina 312 l
(222 frižider + 90 zamrzivač)
Energetska efikasnost A+
Godišnja potrošnja energije 341 kWh
Antibakterijska zaštita
Nivo buke 43dB
Staklene police
Polica za boce
Dimenzije: 201x59,5x65 cm

A+**CN236220****CN236220 X INOX**

~~50.999,-~~
45.999,-

~~54.999,-~~
49.999,-

EV5600

Veš mašina 45cm dubina - Slim
Energetska efikasnost A+
Kapacitet 5kg
600 obrtaja u minuti
Optimalni utrošak deterdženta
Godišnja potrošnja električne
energije 168 kWh
Godišnja potrošnja vode 9900 l
Nivo buke 60/70dB
15 programa
(1. Cotton 90 2. Cotton 60 with
Pre-Wash 3. Cotton 40 4. Cotton Cold
5. Mini 30 6. Handwash 30 7. Rinse
8. Spin+pump 9. Intensive 30
10. Woollen 40 11. Synthetics cold
12. Synthetics 40 13. Synthetics 60
14. Cotton Eco 40 15. Cotton Eco 60)



~~24.999,-~~
22.999,-

EV6800

Veš mašina 45cm dubina - Slim
Energetska efikasnost A+
Kapacitet 6kg
800 obrtaja u minuti
Optimalni utrošak deterdženta
Godišnja potrošnja električne
energije 182 kWh
Godišnja potrošnja vode 10340 l
Nivo buke 60/72dB
15 programa
(1. Cotton 90 2. Cotton 60 with
Pre-Wash 3. Cotton 40 4. Cotton Cold
5. Mini 30 6. Handwash 30
7. Rinse 8. Spin+pump 9. Intensive 30
10. Woollen 40 11. Synthetics cold
12. Synthetics 40 13. Synthetics 60
14. Cotton Eco 40 15. Cotton Eco 60)



~~25.999,-~~
23.999,-

WMB 61031 M

Veš mašina 45cm dubina - Slim
Energetska efikasnost A+
Kapacitet 6kg
1000 obrtaja u minuti
LCD displej
Odloženi start
Hi-tech grejač produženog veka
trajanja
Optimalni utrošak deterdženta
Godišnja potrošnja električne
energije 194 kWh
Godišnja potrošnja vode 8800 l
Nivo buke 58/71dB
11 programa
(1. Cotton (0-90) 2. Pamuklu Eco 3.
Mini (0-90) 4. Darkwash 5. Rinse
6. Spin+pump 7. Mix 40 8. Handwash
9. Woollen (0-40) 10. Babycare 65
11. Synthetics (0-60)) + dodatne
funkcije predpranje
Dodatno ispiranje i brzi program



~~30.999,-~~
27.499,-

WMB 71031 M

Veš mašina 50cm dubine
A+ energetski razred
Kapacitet 7 kg
1000 obrtaja u minuti
LCD displej
Odloženi start
Hi-tech grejač produženog veka
trajanja
Optimalni utrošak deterdženta
Godišnja potrošnja električne
energije 210 kWh
Godišnja potrošnja vode 9020 l
Nivo buke 56/71dB
11 programa (1. Cotton (0-90)
2. Pamuklu Eco 3. Mini (0-90)
4. Darkwash 5. Rinse 6. Spin+pump
7. Mix 40 8. Handwash 9. Woollen
(0-40) 10. Babycare 65
11. Synthetics (0-60)) + dodatne
funkcije predpranje
Dodatno ispiranje i brzi program



~~31.999,-~~
29.499,-

WMB 81241 PTLMC

Veš mašina 54cm dubina
Energetska efikasnost A+
Kapacitet 8kg
1200 obrtaja u minuti
LCD displej
Odloženi start
Velika vrata prečnika 34cm
Indikator praćenja toka programa
Izbor brzine obrtaja i temperature
Hi-tech grejač produženog veka
trajanja
Child lock
Optimalni utrošak deterdženta
Godišnja potrošnja električne
energije 248 kWh
Godišnja potrošnja vode 11000 l
Nivo buke 55/73 dB
16 programa
Program za uklanjanje dlaka
kućnih ljubimaca
Program za lako peglanje



~~39.999,-~~
35.999,-

WMB 81243 LRC

Veš mašina 60cm dubina
Energetska efikasnost A+++
Kapacitet 8kg
1200 obrtaja u minuti
LCD displej
Odloženi start
Motor bez četkica BLDC
Velika vrata prečnika 34cm
Indikator praćenja toka programa
Izbor brzine obrtaja i temperature
Hi-tech grejač produženog veka
trajanja
Child lock
Optimalni utrošak deterdženta
Godišnja potrošnja električne
energije 193 kWh
Godišnja potrošnja vode 11400 l
Nivo buke 54/72 dB
16 programa
Program za lako peglanje i brzi
program, crvena boja



~~44.999,-~~
39.999,-

DSFS 6530

Sudomašina
Slim panel
LCD Displej
10 kompleta
Odložen start
Program 1/2 pranja
Klasa AAA
5 programa pranja
5 temperatura pranja
Mogućnost korišćenja deterdženta u tabletama
Indikator soli
Prikaz redosleda programa
Zaštita od izlivanja vode




~~31.999,-~~
28.999,-

**DSFN 6530**

Sudomašina
Slim panel
LCD displej
12 kompleta
Odložen start
Program 1/2 pranja
Klasa A+AA
5 programa pranja
6 temperatura pranja
Mogućnost korišćenja deterdženta u tabletama
Indikator soli
Prikaz redosleda programa
Zaštita od izlivanja vode



~~34.499,-~~
30.999,-

**DFN 2531**

Sudomašina bele boje
Green line
Odložen start
Program 1/2 pranja
12 kompleta
Klasa A+AA
5 programa pranja
4 temperature pranja
Indikator soli
Prikaz redosleda programa
Zaštita od izlivanja vode



~~32.499,-~~
29.499,-

**DFN 2531 S**

Sudomašina sive boje
Green line
Odložen start
Program 1/2 pranja
12 kompleta
Klasa A+AA
5 programa pranja
4 temperature pranja
Indikator soli
Prikaz redosleda programa
Zaštita od izlivanja vode



~~33.999,-~~
29.999,-

**DFN 6632**

Sudomašina
BLDC (motor bez četkica)
LCD displej
13 kompleta
Odložen start
Program 1/2 pranja
Klasa A++AA
6 programa pranja
5 temperatura pranja
Mogućnost korišćenja deterdženta u tabletama
Indikator soli
Prikaz redosleda programa
Zaštita od izlivanja vode



~~36.499,-~~
32.999,-

**CSS 66000 GW**

Električni šporet
4 ringle
Napred levo 180 mm -2000W-Rapid
Nazad levo 145 mm-1000W
Napred desno 145 mm-1000W
Nazad desno 180 mm -2000W-Rapid
2 ekspres ringle
Energetska klasa A-10%
Klasična rerna
Zapremina 67 l
Emajlirana površina
Svetlosna indikacija rerne i ringle
Fioka, poklopac
Dimenzije: 85x60x60 cm



~~24.999,-~~
23.999,-

**CSS 67000 GW**

Električni šporet sa staklokeramičkom pločom
Energetska klasa A-10%
4 grejne zone
Napred levo 180 mm -1700W
Nazad levo 140 mm-1200W
Napred desno 140 mm-1200W
Nazad desno 180 mm -1700W
Zapremina rerne 61 l
Grill
Funkcija ubrzanog zagrevanja
Lako čišćenje stakla na rerni
Dimenzije: 85x60x60 cm



~~37.499,-~~
33.999,-

**CSE 67300 GX**

Električni šporet sa staklokeramičkom pločom
4+1 grejne zone
Napred levo 180/120 mm -1700/700W Duo Hi-light
Nazad levo 140 mm-1200W
Napred desno 140 mm-1200W
Nazad desno 180 mm -1700W
Energetska klasa A-10%
Digitalni tajmer,
Multifunkcionalna rerna
Zapremina 65l, gril
Emajlirana površina
Dimenzije: 85x60x60 cm, INOX



~~46.499,-~~
40.999,-





~~27.999,-~~
25.999,-

BXC 090/BXC 091

Rashladno sredstvo R22, kapacitet hlađenja 9.000Btu/h, 2635W, kapacitet grejanja 9.100Btu/h, 2670W, protok vazduha 420m³/h, daljinski upr. digitalni displej, sleep tajmer, tajmer 24h, antibakterijski filter, radni opseg od -6°C do 48°C, nivo buke: unutrašnja jedinica <38dB, spoljna jedinica 49dB, dimenzije: unutrašnja jedinica (vxšxd): 290x800x196mm, spoljašnja jedinica (vxšxd): 480x600x250mm



~~30.999,-~~
28.999,-

BXC 120/BXC 121

Rashladno sredstvo R22, kapacitet hlađenja 12.000Btu/h, 3500W, kapacitet grejanja 12.000Btu/h, 3500W, protok vazduha 500m³/h, daljinski upr. digitalni displej, sleep tajmer, tajmer 24h, antibakterijski filter, radni opseg od -6°C do 48°C, nivo buke: unutrašnja jedinica <40dB, spoljna jedinica 50dB, dimenzije: unutrašnja jedinica (vxšxd): 290x800x196mm, spoljašnja jedinica (vxšxd): 540x700x255mm



~~31.499,-~~
29.999,-

BXYH 120/BXYH 121

Rashladno sredstvo R22, kapacitet hlađenja 12.000Btu/h, 3500W, kapacitet grejanja 12.000Btu/h, 3500W, protok vazduha 500m³/h, daljinski upr. digitalni displej, sleep tajmer, tajmer 24h, antibakterijski filter, radni opseg od -6°C do 48°C, nivo buke: unutrašnja jedinica <40dB, spoljna jedinica 50dB, dimenzije: unutrašnja jedinica (vxšxd): 290x800x196mm, spoljašnja jedinica (vxšxd): 540x700x255mm



~~34.999,-~~
31.999,-

BK 21 A 120/ BK21A 121

Rashladno sredstvo R22, kapacitet hlađenja 12.000Btu/h, 3500W, kapacitet grejanja 12.000Btu/h, 3500W, protok vazduha 500m³/h, daljinski upr. digitalni displej, sleep tajmer, tajmer 24h, antibakterijski filter, radni opseg od -6°C do 48°C, nivo buke: unutrašnja jedinica <40dB, spoljna jedinica 50dB, dimenzije: unutrašnja jedinica (vxšxd): 290x800x186mm, spoljašnja jedinica (vxšxd): 540x700x255mm



~~34.999,-~~
31.999,-

BK 22 A 120/BK22A 121

Rashladno sredstvo R22, kapacitet hlađenja 12.000Btu/h, 3500W, kapacitet grejanja 12.000Btu/h, 3500W, protok vazduha 500m³/h, daljinski upr. digitalni displej, sleep tajmer, tajmer 24h, antibakterijski filter, radni opseg od -6°C do 48°C, nivo buke: unutrašnja jedinica <40dB, spoljna jedinica 50dB, dimenzije: unutrašnja jedinica (vxšxd): 290x800x186mm, spoljašnja jedinica (vxšxd): 540x700x255mm



~~46.999,-~~
42.999,-

BXYH 180/BXYH 181

Rashladno sredstvo R22, kapacitet hlađenja 18.000Btu/h, 5270W, kapacitet grejanja 18.000Btu/h, 5270W, protok vazduha 850m³/h, daljinski upr. digitalni displej, sleep tajmer, tajmer 24h, antibakterijski filter, radni opseg od -6°C do 48°C, nivo buke: unutrašnja jedinica <43dB, spoljna jedinica 56dB, dimenzije: unutrašnja jedinica (vxšxd): 292x860x205mm, spoljašnja jedinica (vxšxd): 520x770x280mm



~~59.999,-~~
54.999,-

BXYH 240/BXYH 214

Rashladno sredstvo R22, kapacitet hlađenja 24.000Btu/h, 7030W, kapacitet grejanja 24.600Btu/h, 7200W, protok vazduha 1100m³/h, daljinski upr. digitalni displej, sleep tajmer, tajmer 24h, antibakterijski filter, radni opseg od -6°C do 48°C, nivo buke: unutrašnja jedinica <50dB, spoljna jedinica 58dB, dimenzije: unutrašnja jedinica (vxšxd): 330x1080x220mm, spoljašnja jedinica (vxšxd): 680x680x310mm



~~129.999,-~~
119.999,-

BFSX 480/BFSX 481

Rashladno sredstvo R22
Kapacitet hlađenja 46.000Btu/h
13500W
Kapacitet grejanja 48.000Btu/h,
13500W
Protok vazduha 1800m³/h
Daljinski upravljač
Digitalni displej, sleep tajmer
Tajmer 24h, antibakterijski filter
Radni opseg od -6°C do 48°C
Nivo buke: unutrašnja jedinica
<52dB, spoljna jedinica 62dB
Dimenzije: un. jedinica (vxšxd):
1910x560x360mm, spoljašnja
jedinica (vxšxd): 1255x945x340mm

HIC 64101 X

Ugradna staklokeramička ploča
Mehaničke komande sa strane
4+1
Prednja leva zona 120/180mm-
700/1700W
Prednja desna zona 140mm-
1200W
Zadnja leva zona 140mm-1200W
Zadnja desna zona 180mm-
1700W
6 nivoa kuvanja po zoni
Okvir od nerđajućeg čelika
Funkcija pojačivača radi bržeg
zagrevanja
Indikator zaostale toplote
Dimenzije: 55x580x510 mm



~~22.999,-~~
20.999,-

OIE 22101 X

Višenamenska rerna 65l
Energetska klasa "A-20%"
6 funkcija rerne
Funkcija pojačavanja radi brzog
zagrevanja
Kuvanje uz podršku ventilatora
Mehanički tajmer
Staklena unutrašnjost vrata koja se
lako čisti
Dimenzije: 595x594x567 mm



~~25.999,-~~
22.999,-

HIC 64402

Ugradna staklokeramička ploča
Komande na dodir 4+1
Prednja leva zona 120/210mm-
750/2200W
Prednja desna zona 160mm-
1500W
Zadnja leva zona 140mm-1200W
Zadnja desna zona 180mm-
1800W 9 nivoa kuvanja po zoni
Funkcija pojačivača radi bržeg
zagrevanja
Indikator zaostale toplote
Automatsko isključivanje
Dimenzije: 55x580x510 mm



~~27.499,-~~
24.999,-

OIM 25301 X

Višenamenska rerna 65l
Energetska klasa "A-20%"
Dugmići na uvlačenje
8 funkcija rerne
3D funkcija
Funkcija pojačavanja radi brzog
zagrevanja
Kuvanje uz podršku ventilatora
Digitalni tajmer
Staklena unutrašnjost vrata koja se
lako čisti
Dimenzije: 595x594x567 mm



~~32.499,-~~
29.999,-

HIC 64404 T

Komande na dodir sa prednje
strane
4+3 staklokeramičke zone
Prednja leva zona
120/175/210mm-
800/1600/2300W
Prednja desna zona 160mm-
1500W
Zadnja leva zona 140mm-1200W
Zadnja desna zona 140/250mm-
1100/2000W
9 nivoa kuvanja po zoni
Tajmer
Funkcija pojačivača radi bržeg
zagrevanja
Svetlo indikatora uklj-isklj.
Indikator zaostale toplote
Bezbedna na prolivanje
Automatsko isključivanje
Dimenzije: 55x580x510 mm



~~30.999,-~~
27.999,-

OIM 22500 X

Višenamenska rerna 65l
Energetska klasa "A-20%"
Dugmići na uvlačenje
12 funkcija rerne
3D funkcija
Funkcija pojačavanja radi brzog
zagrevanja
Kuvanje uz podršku ventilatora
Digitalni tajmer
Staklena unutrašnjost vrata koja se
lako čisti
Dimenzije: 595x594x567 mm



~~35.499,-~~
31.499,-

LB1 3001 HCA

Ugradni frižider
Bruto zapremina 315 l
Neto zapremina 310 l
Energetska efikasnost A+
Godišnja potrošnja energije 146 kWh
Antibakterijska zaštita
Nivo buke 31dB
5 staklenih polica
Dimenzije: 176,5x54,3x54,5 cm



~~37.999,-~~
33.999,-



CBI 7701 HCA

Ugradni kombinovani frižider
Bruto zapremina 285 l
Neto zapremina 244 l
(189 frižider + 55 zamrzivač)
Energetska efikasnost A
Godišnja potrošnja energije 297 kWh
Antibakterijska zaštita
Nivo buke 41dB
3 fioke zamrzivač
Dimenzije: 177x54x53,5 cm



~~37.999,-~~
34.999,-



DSS 2512 XP

Ugradna sudomašina 45cm širine
Program 1/2 pranja
Klasa AAA
10 kompleta
5 programa pranja
(Predpranje, Mini 30°C, Eko 50°C,
Brzo i čisto 60°C, Intenzivni 70°C)
4 temperature pranja
Zaštita od izlivanja vode
Podesiva gornja korpa



~~30.999,-~~
28.999,-



DIN 1531

Ugradna sudomašina 60cm širine
LCD displej
Odložen start
Program 1/2 pranja
12 kompleta
Klasa AAA
5 programa pranja
(Predpranje, Eko 50°C, Brzo i čisto
60°C, Intenzivni 70°C, Auto 40- 65°C),
5 temperatura pranja (40°C/50°C/
60°C/ 65°C/70°C)
Zaštita od izlivanja vode
Podesiva gornja korpa



~~36.999,-~~
33.999,-



DSN 6841 FX

Ugradna sudomašina 60cm širine
LCD displej
Odložen start
Program 1/2 pranja
13 kompleta
Klasa A++AA
BLDC motor
8 programa pranja
6 temperatura pranja
Zaštita od izlivanja vode
Podesiva gornja korpa



~~39.999,-~~
36.999,-



MWK 2000 X

INOX ram za ugradnu mikrotalasnu

MWB 2000 EX

Ugradna mikrotalasna rerna
Zapremina 20 l
Snaga 800W
Digitalni displej
24,5cm obrtna površina
7 programa (odmrzavanje, podgre-
vanje, krompir, meso, pica, piletna,
riba, brzi start)
Ugradne dimenzije: 365x568x550mm
Dimenzije (vxšxd): 282x470x377 mm

~~2.999,-~~
2.499,-

~~16.999,-~~
14.999,-



CWB 6420 X

Samostalni aspirator
Kapacitet 363 m3/h
Dva načina rada: odvođenje
vazduha van prostorije ili
recirkulacija
3 nivoa snage
Osvetljenje sijalicama 2x20 W
2 metalna filtera koji se mogu prati
Maksimalni nivo buke 50 dB
Ukupna snaga: 230 W
Dimenzije (vxšxd):
560-905 x 600 x 485 mm
Podesiva visina

~~10.999,-~~
9.999,-



~~9.499,-~~
8.999,-

CFB 6433 X

Samostalni aspirator, INOX, kapacitet 350 m3/h, dva načina rada:
odvođenje vazduha van prostorije ili recirkulacija, 2 motora, 3 nivoa
snage, klizna komanda, osvetljenje sijalicama 2x40 W, 3 aluminijumska
kasetna filtera koji se mogu prati, ukupna snaga: 330 W, maksimalni
nivo buke 57 dB, dimenzije (vxšxd): 150 x 598 x 490 mm